| DB Name | Query | Hit C unt | Set Name |
|---|---|---|---|
| USPT | l14 and lsi | 0 | L15 |
| USPT | l11 and layout | 9 | L14 |
| PGPB | capacitor same (logic adj gate) same capacitance same load | 1 | L13 |
| JPAB,EPAB,DWPI,TDBD | capacitor same (logic adj gate) same capacitance same load | 6 | L12 |
| USPT | capacitor same (logic adj gate) same capacitance same load | 36 | L11 |
| PGPB,JPAB,EPAB,DWPI,TDBD | l8 and lsi | 1 | L10 |
| USPT | l7 and lsi | 2 | L9 |
| PGPB,JPAB,EPAB,DWPI,TDBD | (drive adj load adj capacity) | 12 | L8 |
| USPT | (drive adj load adj capacity) | 6 | L7 |
| USPT | l4 and (drive adj load adj capacity) | 0 | L6 |
| PGPB,JPAB,EPAB,DWPI,TDBD | l3 and (drive adj load adj capacity) | 0 | L5 |
| USPT | l1 and capacitance | 30 | L4 |
| PGPB,JPAB,EPAB,DWPI,TDBD | l2 and capacitance | 9 | L3 |
| PGPB,JPAB,EPAB,DWPI,TDBD | lsi adj2 layout | 254 | L2 |
| USPT | lsi adj2 layout | 112 | L1 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|-------------|-----|------------|
| 1 | IS&R | L1 | 3 | (("6204694") or ("5815017") or ("5940333")).PN. | USPAT; US-PGPUB; EPO; JPO | 2002/01/09 09:34 |
| 2 | BRS | L6 | 3 | 438/19 and capacitance | USPAT; US-PGPUB; EPO; JPO | 2002/01/09 09:36 |
| 3 | BRS | L11 | 56 | 438/129 and capacitance | USPAT; US-PGPUB; EPO; JPO | 2002/01/09 09:37 |
| 4 | BRS | L16 | 41 | 438/599 and capacitance | USPAT; US-PGPUB; EPO; JPO | 2002/01/09 09:37 |

# WEST

Help     Logout     Interrupt

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences

**Search Results -**

| Terms | Documents |
|-------|-----------|
| l14 and lsi | 0 |

Database:

- US Patents Full-Text Database
- US Pre-Grant Publication Full-Text Database
- JPO Abstracts Database
- EPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Refine Search:          Clear

**Search History**

**Today's Date: 1/9/2002**